

Total Window - AFRC

Fixed Window – Single Glazed - Without Subsill		UW	SHGC	TVW	Air Inf
ALS-013-01	6AB	6.1	0.46	0.47	0.08
ALS-013-02	6Clr	6.1	0.74	0.79	0.08
ALS-013-03	6EcAdAB	4.4	0.32	0.35	0.08
ALS-013-04	6EcAdBG	4.4	0.40	0.50	0.08
ALS-013-05	6EcAdBz	4.4	0.40	0.34	0.08
ALS-013-06	6EcAdClr	4.4	0.56	0.59	0.08
ALS-013-07	6EcAdEG	4.4	0.32	0.43	0.08
ALS-013-08	6EcAdGy	4.4	0.36	0.29	0.08
ALS-013-09	6EG	6.1	0.46	0.58	0.08
ALS-013-10	6SpGy	6.1	0.31	0.08	0.08
ALS-013-11	6.38ClrLam	6.1	0.71	0.79	0.08
ALS-013-12	6.38CPClr	4.2	0.61	0.73	0.08
ALS-013-13	6.38CPGrn	4.2	0.45	0.63	0.08
ALS-013-14	6.38CPGy	4.2	0.44	0.35	0.08
ALS-013-15	6.38CPNtrl	4.2	0.46	0.52	0.08
ALS-013-16	10.38GyLam	6.1	0.53	0.37	0.08
ALS-013-17	6.38GyLam	6.3	0.56	0.37	0.08
ALS-013-18	6Gy	6.3	0.53	0.37	0.08